Subject Index

A

ABP. *See* Androgen-binding protein
Acorn squash, fruit coloration of 52–56
Aedes aegypti. See Yellow fever mosquito
Aedes (Stegomyia) albopictus (Skuse). *See* Asian tiger mosquito
Agaricus bisporus (Lange) Imbach. *See* Button mushroom
Alfalfa
  C-banded chromosomes of 533–537
  restriction fragment length polymorphism of 150–152
American bison, *DRB3* polymorphism in 499–503
American mink, *Black crystal* in 164–166
Amphicarpaea bracteata (Leguminosae), locus controlling nodulation specificity in 449–453
Anacardiaceae. *See Spondias mombin*
Androgen-binding protein (ABP) 93–97
Anopheles rangeli 98–107
Anopheles trinkae 98–107
Anopheline mosquitoes, mitochondrial DNA in 98–107
Aphyosemion australe Cyprinodontidae. *See* Lyretail toothcarp
Appalachian desmognathine salamanders 305–315
Arabidopsis thaliana, flowering time in 69–72
Arachis hypogaea L. *See* Peanut
Arctocephalus spp. *See* Fur seals
Asian tiger mosquito 489–494
Atlantic salmon, single locus minisatellite probes and 79–82
Australian tammar wallabies 398–400
Axial skeleton 439–445

B

Barley, phytochrome loci in 21–26
Basket willow, isozyme loci in 144–150
Bdelloura candida 195–201
Bean. *See* Common bean
Beta vulgaris L. *See* Red beet
Bison bison. See North American bison
Black crystal, in American mink 164–166
Black-Pod color, in peanut 156–158
Bobcat, sex-linkage in 527–531
Bos taurus (BTA) chromosomes 373–379
Bovine interspecies hybrids 373–379
Bradyrhizobium, in *Amphicarpaea bracteata* 449–453
Brassica oleracea, restriction fragment length polymorphism of 57–60
Brassica rapa, recombinant inbred population 553–557
BTA chromosomes. *See Bos taurus* (BTA) chromosomes
Button mushroom 482–488

C

Cactaceae. *See Schlumbergera*
Calland TC sterility 129–138
Calyx spotting, in *Mimulus* genus 42–46
Cat. *See* Domestic cat
Catharacta maccormicki. See South polar skua
Cattle chromosomes 524–527
Cauliflower head 150–152
C-banded chromosomes, of diploid alfalfa 533–537
Cervus elaphus. See Red deer
Cervus unicolor. See Sambar deer
Chickens
  Rfp-Y (*Mhc*-like) haplotypes in 504–512
  triploidy line in 495–498
  Z-chromosome 247–249
Chickpea, genetic linkage mapping of 115–119
Chinook salmon 415–422
Chlorimuron ethyl sensitivity (CS), in soybean 38–41
Chromosomes
  Bos taurus (BTA) 373–379
  cattle 524–527
  C-banded 533–537
  chicken Z 247–249
  horse 162–164
  Pearl Millet 139–143
  rose 158–161
  sex 358–360, 527–531
Cicer. See Chickpea
Cinnamomum kanehirae 433–438
Coho salmon 415–422
Coloration
  acorn squash 52–56
  Black-Pod in peanut 156–158
  flax seed 466–468
  lyretail toothcarp 445–446
  in red beet 540–543
Common bean
  nodulation mutants in 543–545
  and tepary bean 537–540
Computer program
  for genetic analysis of gene separation and linkage 253–254
  for pedigree analysis 333
Convolvulus arvensis L. *See* Field bindweed
Cross-pollination, in wild soybean 124–128
CS. *See* Chlorimuron ethyl sensitivity
Cucumber
  mitochondrial DNA in 232–235
  potyvirus resistance alleles in 454–458
Cucumis sativus L. *See* Cucumber
Cucumis sativus var. *hardwickii,* root-knot nematode in 66–69
Cucurbita pepo, fruit coloration of 52–56
Cytonuclear introgressive swamping, in bass 14–20

D

Dart-poison frogs 8–13
Deep-sea hydrothermal vent animals 285–293
Deer interspecies hybrids 361–365, 366–372
Dendrobates pumilio. See Strawberry dart-poison frog
Desmognathus ochrophaeus. See Appalachian desmognathine salamanders
Dicentrarchus labrax. See European sea bass
Dinitroaniline herbicide resistance, in goosegrass 427–432
Diploid alfalfa, C-banded chromosomes of 533–537
Diploid blueberry, random amplification of polymorphic DNA and 423–426
Diploid strawberry, linkage map of 215–221
DNA. *See* Mitochondrial DNA; Random amplification of polymorphic DNA
Dog, X-linked ectodermal dysplasia in 513–517

Subject Index

A

ABP. *See* Androgen-binding protein
Acorn squash, fruit coloration of 52–56
Aedes aegypti. See Yellow fever mosquito
Aedes (Stegomyia) albopictus (Skuse). *See* Asian tiger mosquito
Agaricus bisporus (Lange) Imbach. *See* Button mushroom
Alfalfa
  C-banded chromosomes of 533–537
  restriction fragment length polymorphism of 150–152
American bison, *DRB3* polymorphism in 499–503
American mink, *Black crystal* in 164–166
Amphicarpaea bracteata (Leguminosae), locus controlling nodulation specificity in 449–453
Anacardiaceae. *See Spondias mombin*
Androgen-binding protein (ABP) 93–97
Anopheles rangeli 98–107
Anopheles trinkae 98–107
Anopheline mosquitoes, mitochondrial DNA in 98–107
Aphyosemion australe Cyprinodontidae. *See* Lyretail toothcarp
Appalachian desmognathine salamanders 305–315
Arabidopsis thaliana, flowering time in 69–72
Arachis hypogaea L. *See* Peanut
Arctocephalus spp. *See* Fur seals
Asian tiger mosquito 489–494
Atlantic salmon, single locus minisatellite probes and 79–82
Australian tammar wallabies 398–400
Axial skeleton 439–445

B

Barley, phytochrome loci in 21–26
Basket willow, isozyme loci in 144–150
Bdelloura candida 195–201
Bean. *See* Common bean
Beta vulgaris L. *See* Red beet
Bison bison. See North American bison
Black crystal, in American mink 164–166
Black-Pod color, in peanut 156–158
Bobcat, sex-linkage in 527–531
Bos taurus (BTA) chromosomes 373–379
Bovine interspecies hybrids 373–379
Bradyrhizobium, in *Amphicarpaea bracteata* 449–453
Brassica oleracea, restriction fragment length polymorphism of 57–60
Brassica rapa, recombinant inbred population 553–557
BTA chromosomes. *See Bos taurus* (BTA) chromosomes
Button mushroom 482–488

C

Cactaceae. *See Schlumbergera*
Calland TC sterility 129–138
Calyx spotting, in *Mimulus* genus 42–46
Cat. *See* Domestic cat
Catharacta maccormicki. See South polar skua
Cattle chromosomes 524–527
Cauliflower head 150–152
C-banded chromosomes, of diploid alfalfa 533–537
Cervus elaphus. See Red deer
Cervus unicolor. See Sambar deer
Chickens
  Rfp-Y (*Mhc*-like) haplotypes in 504–512
  triploidy line in 495–498
  Z-chromosome 247–249
Chickpea, genetic linkage mapping of 115–119
Chinook salmon 415–422
Chlorimuron ethyl sensitivity (CS), in soybean 38–41
Chromosomes
  Bos taurus (BTA) 373–379
  cattle 524–527
  C-banded 533–537
  chicken Z 247–249
  horse 162–164
  Pearl Millet 139–143
  rose 158–161
  sex 358–360, 527–531
Cicer. See Chickpea
Cinnamomum kanehirae 433–438
Coho salmon 415–422
Coloration
  acorn squash 52–56
  Black-Pod in peanut 156–158
  flax seed 466–468
  lyretail toothcarp 445–446
  in red beet 540–543
Common bean
  nodulation mutants in 543–545
  and tepary bean 537–540
Computer program
  for genetic analysis of gene separation and linkage 253–254
  for pedigree analysis 333
Convolvulus arvensis L. *See* Field bindweed
Cross-pollination, in wild soybean 124–128
CS. *See* Chlorimuron ethyl sensitivity
Cucumber
  mitochondrial DNA in 232–235
  potyvirus resistance alleles in 454–458
Cucumis sativus L. *See* Cucumber
Cucumis sativus var. *hardwickii,* root-knot nematode in 66–69
Cucurbita pepo, fruit coloration of 52–56
Cytonuclear introgressive swamping, in bass 14–20

D

Dart-poison frogs 8–13
Deep-sea hydrothermal vent animals 285–293
Deer interspecies hybrids 361–365, 366–372
Dendrobates pumilio. See Strawberry dart-poison frog
Desmognathus ochrophaeus. See Appalachian desmognathine salamanders
Dicentrarchus labrax. See European sea bass
Dinitroaniline herbicide resistance, in goosegrass 427–432
Diploid alfalfa, C-banded chromosomes of 533–537
Diploid blueberry, random amplification of polymorphic DNA and 423–426
Diploid strawberry, linkage map of 215–221
DNA. *See* Mitochondrial DNA; Random amplification of polymorphic DNA
Dog, X-linked ectodermal dysplasia in 513–517

Domestic cat 408–414
Domestic pig 380–383
DRB3 polymorphism, in North American bison 499–503
Drosophila 343–352
Drosophila subobscura, in mitochondrial DNA 108–114
Dugesia tigrina 195–201
Durum wheat 229–232, 475–481

E

ECA 3. *See* Horse chromosome
Ectodermal dysplasia, in dog 513–517
Eichhornia paniculata (Pontederiaceae) 277–284
Elaphurus davidianus. See Père David's deer
Eleusine indica. See Goosegrass
Equids, interspecific and extraspecific pregnancies in 384–392
Est1 locus, soybean linkage and 557–559
European sea bass 316–324

F

FA. *See* Fluctuating asymmetry
Felis catus. See Domestic cat
Felis rufus. See Bobcat
Ficus 264–276
Field bindweed, self-incompatibility in 459–465
Flatworms, *mariner* in 195–201
Flax, seed color inheritance in 466–468
Flowering time, of *Arabidopsis thaliana* 69–72
Flower mutants, in *Phacelia dubia* 31–37
Fluctuating asymmetry (FA), in mice 85–92
Fragaria vesca. See Diploid strawberry
Fruit coloration, of acorn squash 52–56
Fur seals 202–208

G

Gallus domesticus. See Chickens
Generation means analysis 469–474
Genetic analysis. *See* Genetic linkage mapping
Genetic linkage mapping
  Asian tiger mosquito 489–494
  Brassica rapa 553–557
  chickpea versus pea and lentil 115–119
  cucumber 454–458
  diploid strawberry 215–221
  domestic cat 408–414
  gene isolation and 562
  quantitative traits 561–562
Genome size
  in pearl millet 139–143
  of *Poeciliopsis* 249–252
Genomic imprinting 401–407
Glandular pubescence, in *Mimulus* 42–46
Glycine max (L.) Merr. *See* Soybean
Glycine soja. See Wild soybean
Goosegrass, dinitroaniline herbicide resistance in 427–432
Grasspea, outcrossing in 154–156

H

Habitat fragmentation, in mammal populations 294–304
Hairy-sheath-frayed 1-O, in maize 549–553
Haldane's rule 355–357, 358–360
Hawaiian *Drosophila* sexual selection 343–352
Herbicide resistance, in goosegrass 427–432
Hessian fly
  mariner from 72–76
  virulence in 120–123
Hibiscus cannabinus L. *See* Kenaf
Hispid cotton rat 294–304
Hordeum vulgare. See Barley
Horse chromosome 3 (ECA 3) 162–164
HSA 19 loci 524–527
Hsf1-O. See Hairy-sheath-frayed 1-O
Hybrids. *See* Interspecies hybrids
Hydras, *mariner* in 195–201

I

Inbreeding depression, in mammal populations 169–178
Inhibited feathering, in turkey 238–247
Interspecies hybrids 353–354
  bovine 373–379
  deer 361–365, 366–372
  equid 384–392
  mammalian 355–357
  mixed populations 62–65
  pig 380–383
  wallaby 393–397, 398–400
Iris brevicaulis. See Louisiana irises
Iris fulva. See Louisiana irises
Isozyme loci
  in basket willow 144–150
  in wild radish 60–62

K

Kenaf, white flower mutant in 559–560

L

Lathyrus sativus L. *See* Grasspea
Leguminosae. *See Amphicarpaea bracteata*
Lens. See Lentil
Lentil, genetic linkage mapping of 115–119
Liliaceae, outcrossing in 325–329
Linkage analysis/mapping. *See* Genetic linkage mapping
Linum usitatissimum L. *See* Flax
Louisiana irises, pollen-tube growth-rate versus reproductive isolation in 545–549
Lyretail toothcarp, body coloration in 445–446

M

Macropus eugenii. See Tammar wallaby
Maize
  Hairy-sheath-frayed 1-O in 549–553
  marker systems in 27–30
  twin-ear trait in 469–474
Malaria, mosquito and 187–194
Mammal populations
  habitat fragmentation in 294–304
  inbreeding depression in 169–178
  interspecies hybrids 355–357
Mariner
  in flatworms and hydras 195–201
  from Hessian fly 72–76
Marker systems, in maize 27–30
Mayetiola destructor. See Hessian fly
Medicago sativa ssp. *caerulea* 533–537
Medicago sativa ssp. *falcata* 533–537
Meloidogyne javanica. See Root-knot nematode
Meristic flower mutants, in *Phacelia dubia* 31–37
Micropterus dolomieui. See Smallmouth bass
Micropterus punctulatus. See Spotted bass
Microsatellites 335–342
Microtus. See Vole
Mimulus genus
  pale flower, calyx spotting, and glandular pubescence in 42–46
  selfing in 330–332
Minyobates sp. 8–13
Mitochondrial DNA (mtDNA)
  in bass 14–20
  in cucumber 232–235
  in *Drosophila subobscura* 108–114
  in neotropical anopheline mosquitoes 98–107
Mixed hybrid populations 62–65
Moraceae 264–276
Mosquito
  Asian tiger 489–494
  malaria and 187–194
  neotropical anopheline 98–107
  yellow fever 187–194, 520–524
Mouflon 517–520
Mouse
  development 401–407
  fluctuating asymmetry 85–92
  salivary androgen-binding protein 93–97
mtDNA. *See* Mitochondrial DNA
Mus musculus, mouse salivary androgen-binding protein of 93–97
Mustela vison Schreber. See American mink

N

Natural cross-pollination, in wild soybean 124–128
Neotropical anopheline mosquitoes, mitochondrial DNA in 98–107
Neotropical canopy trees 264–276

New Zealand robins, DNA variation in 179–186
Nodulation mutants, in common bean 543–545
Nonhomeotic meristic flower mutants, in *Phacelia dubia* 31–37
North American bison, *DRB3* polymorphism in 499–503

O

Oncorhynchus kisutch. *See* Coho salmon
Oncorhynchus tshawytscha. *See* Chinook salmon
Oryzomys. *See* Rice rat
Outcrossing
  in grasspea 154–156
  in *Trillium* species 325–329
Ovis gmelini. *See* Mouflon

P

Pacific salmonids, *Ssa1* locus in 415–422
Pale flower, in *Mimulus* 42–46
Palmitic acid, in flax 466–468
Pea, genetic linkage mapping of 115–119
Peanut
  Black-Pod color in 156–158
  shriveled seed in 47–51
Pearl millet, genome size and chromosome number in 139–143
Pennisetum, genome size and chromosome number in 139–143
Père David's deer 361–365
Petrogale wallaby 393–397
Petroica australis australis. *See* New Zealand robins
Phacelia dubia, nonhomeotic meristic flower mutants in 31–37
Phaseolus acutifolius A. Gray. *See* Tepary bean
Phaseolus vulgaris L. *See* Common bean
Phyllobates lugubris 8–13
Phylogenetic interference 335–342
Phytochrome loci, in barley 21–26
Pig interspecies hybrids 380–383
Pisum. *See* Pea
Plasmodium gallinaceum 187–194
Pod dehiscence, of soybean 152–154
Poeciliopsis, genome size of 249–252
Pontederiaceae. *See Eichhornia paniculata* (Pontederiaceae)
Population genetics 1–7, 79–82, 108–114, 560
Potyvirus resistance, in cucumber 454–458
PROBMAX computer program 333

R

Random amplification of polymorphic DNA (RAPD)
  diploid blueberry and 423–426
  European sea bass and 316–324
  single-strand conformation polymorphisms and 489–494
  viral genomes and 222–228
RAPD. *See* Random amplification of polymorphic DNA
Raphanus raphanistrum. *See* Wild radish
Recombinant inbred population, *Brassica rapa* 553–557
Red beet, root color in 540–543
Red deer 361–365, 366–372
Resistance gene *H13*, in wheat 120–123
Restriction fragment length polymorphism (RFLP)
  of alfalfa 150–152
  in barley 21–26
  in bass 14–20
  of *Brassica oleracea* 57–60
  in mosquito 187–194
  in soybean 38–41
RFLP. *See* Restriction fragment length polymorphism
Rfp-Y (*Mhc*-like) haplotypes, in chickens 504–512
Rhamnaceae. *See Ziziphus celata*
Rice rat 294–304
Root-knot nematode, in *Cucumis sativus* var. *hardwickii* 66–69
Rosa 158–161
Rose chromosomes 158–161

S

Salix viminalis L. *See* Basket willow
Salmo salar L. *See* Atlantic salmon
Sambar deer 366–372
SASGENE computer program 253–254
Schlumbergera (Cactaceae), self-incompatibility in 209–214
Sea bass 316–324
Self-incompatibility
  in field bindweed 459–465
  in *Schlumbergera* 209–214
Selfing, in *Mimulus* 330–332
Sex chromosomes 358–360, 527–531
Sexual selection, Hawaiian *Drosophila* 343–352
Shriveled seed, in peanut 47–51
Sigmodon hispidus. *See* Hispid cotton rat
Silene alba 257–263
Single locus minisatellite probes (SLPs), Atlantic salmon and 79–82
Single-strand conformation polymorphisms (SSCP) 489–494
SLPs. *See* Single locus minisatellite probes
Smallmouth bass 14–20
South polar skua, minisatellite DNA in 235–238
Soybean
  chlorimuron ethyl sensitivity in 38–41
  Est1 locus and 557–559
  natural cross-polination in wild 124–128
  pod dehiscence of 152–154
  sterility in 129–138
Spondias mombin (Anacardiaceae) 264–276
Spotted bass 14–20
Ssa1 locus, in Pacific salmonids 415–422
SSCP. *See* Single-strand conformation polymorphisms
Sterility, in soybean 129–138
Strawberry dart-poison frog 8–13
Stylochus zebra 195–201

T

Table Queen, fruit coloration of 52–56
Taiwan broadleaf tree 433–438
Tammar wallaby 398–400
Tepary bean 537–540
Thick tail mutation 439–445
Thylogale wallaby 393–397
Trillium species, outcrossing in 325–329
Triticum aestivum L.. *See* Wheat
Triticum turgidum L. *See* Durum wheat
Tropical forest fragmentation 264–276
Turkey, inhibited feathering in 238–247
Twin-ear trait, in maize 469–474

U

Unifoliate leaf 150–152

V

Vaccinium darrowi Camp. *See* Diploid blueberry
Viral genomes, random amplification of polymorphic DNA and 222–228
Virulence, in Hessian fly 120–123
Vole 294–304

W

Wallabies
  Petrogale and *Thylogale* 393–397
  tammar 398–400
Wheat
  durum 229–232, 475–481
  resistance gene *H13* in 120–123
White flower plant 559–560
Wild pig 380–383
Wild radish, isozyme loci in 60–62
Wild soybean, natural cross-pollination in 124–128

X

X-linked ectodermal dysplasia, in dog 513–517

Y

Yellow fever mosquito 187–194, 520–524

Z

Z-chromosome, in chickens 247–249
Zea mays L. *See* Maize
Ziziphus celata 531–533

Author Index

A

Abe, J. 557
Allegrucci, G. 316
Allen, W. R. 384
Alvernaz, J. 38
Amaral, M. E. J. 373
Amasino, R. 69
Ambady, S. 247
Anderson, J. B. 482
Andersson, L. 380, 499
Andreev, O. 520
Anthony, N. M. 520
Aravanopoulos, F. A. 144
Ardern, S. L. 179
Arnold, M. L. 545
Asher, G. W. 366
Ashley, D. A. 38, 152
Asmussen, M. A. 14
Aulagnier, S. 517
Avise, J. C. 14

B

Bacon, L. D. 504
Bailey, E. 162
Bailey, M. A. 152
Baird, W. V. 427
Baker, C. S. 202
Ballou, J. D. 169
Bañuelos, G. S. 559
Barker, K. R. 66
Barrett, S. C. H. 277
Barry, T. N. 366
Basu, T. 499
Bauchan, G. R. 533
Bell, J. N. 393
Berlocher, S. H. 60
Bermingham, E. 8
Bertrand-Garcia, R. 549
Birchler, J. A. 27
Biyashev, R. M. 21
Black, W. C. IV 489
Boerma, H. R. 38, 152
Bommineni, V. R. 469
Bonhomme, F. 93
Bosio, C. F. 489
Bouissou, C. 517
Boyle, T. H. 209
Branch, W. D. 156
Brehm, A. 108
Broad, T. E. 366
Brouwer, D. J. 150
Brown, S. 139
Broyles, S. B. 325
Buttery, B. R. 543
Byrne, D. H. 158

C

Cabrera, V. M. 108
Caccone, A. 316
Callac, P. 482
Camargo, L. E. A. 57
Carney, S. E. 545
Carson, H. L. 343
Carter, T. E. Jr. 152
Casal, M. L. 513
Cevario, S. J. 408
Chambers, G. K. 202
Chang, E. 408
Cheng, K. C. 76
Cheng, Y. -P. 433
Cho, K. -W. 408
Chowdhury, M. A. 154
Christensen, B. M. 187
Ciufo, S. 247
Clegg, M. T. 1
Close, R. L. 393
Cockburn, A. F. 98
Conn, J. E. 98
Conner, J. K. 60
Cook, C. G. 559
Cooper, D. W. 398
Craig, G. B. Jr. 489
Crane, C. F. 158
Crouau-Roy, B. 517

D

Dahlstrom, L. 8
Danzmann, R. G. 333
Davis, T. M. 215
Dawley, R. M. 249
De Nay, D. 139
Diffendorfer, J. E. 294
Dole, J. 42, 330
Domingo-Roura, X. 527
Donaghy, S. B. 253
Dunnington, E. A. 561

E

Epifanio, J. M. 62

F

Falkinham, Joseph O. III 562
Federici, C. T. 537
Fennessy, P. 353, 361
ffrench-Constant, R. H. 520
Fortunato, C. 316
Frank, T. E. 469
Frankel, J. S. 445
Fujita, R. 124

G

Gaines, M. S. 294
Gao, Q. 524
García-Vázquez, E. 79
Garvin, D. F. 537
Gestl, E. E. 76
Godt, M. J. W. 531
Goldman, I. L. 540
Goldschmidt, M. H. 513
Goldstein, D. B. 335
González, A. M. 108
Goosen, G. J. 361
Gorbet, D. W. 47
Graves, J. A. M. 358, 408
Greek, J. M. 513
Grumet, R. 454
Gullberg, U. 144
Guo, M. 27

H

Haddon, M. 202
Hallauer, A. R. 469
Hamrick, J. L. 264, 531
Havey, M. J. 232
Hernández, M. 108
Hirata, T. 557
Hofstetter, J. R. 93
Horgen, P. A. 482
Horner, H. T. 129
Hossain, M. A. 533

Huang, S. -G. 433
Husband, B. C. 277
Hwang, J. M. 93

I

Ilarslan, H. 129
Islam-Faridi, M. N. 158

J

Jacobson, H. A. 527
Jakkula, L. R. 47
Jauhar, P. P. 469
Jezyk, P. F. 513
Ji, Y. 158
John, M. 69
Jorde, P. E. 144
Jung, G. 57

K

Kabelka, E. 454
Karn, R. C. 93
Kauffman, E. J. 76
Kerrigan, R. W. 482
Kesseli, R. 42, 330
Klindworth, D. L. 229
Klindworth, M. M. 229
Knauft, D. A. 47
Kole, C. 553
Kole, P. 553

L

Lambert, D. M. 179, 235
Larruga, J. M. 108
Leamy, L. 85
Lear, T. L. 162
Lento, G. M. 202
Levy, F. 31
Lin, T. -P. 433
Liu, J. S. 253
Lyons, L. A. 408

M

Ma, Y. 158
Martel, E. 139
Martenson, J. S. 408
Maughan, P. J. 21
McCafferty, S. 8
McCauley, D. E. 257
McEwan, K. M. 361
McKenzie, L. M. 398
McLean, I. G. 179
Mian, M. A. R. 38, 152
Mikko, S. 499
Millar, C. D. 235
Miller, K. M. 415
Mitchell, S. E. 98
Moore, J. L. 76
Moran, C. 495
Morán, P. 79
Morris, B. 499
Muehlbauer, F. J. 115
Mueller, J. D. 38
Muir, P. D. 366
Mutebi, J. -P. 489

N

Nash, W. G. 408
Nason, J. D. 264
Neel, James G. 560
Nelson, W. S. 14
Nicholas, F. W. 495
Nienhuis, J. 57

O

O'Brien, S. J. 408
Ohara, M. 124
Okazaki, K. 124
O'Neill, R. J. W. 358
Osborn, T. C. 57, 150, 553
Owens, K. E. 373

P

Palmer, R. G. 129
Paris, H. S. 52
Park, S. J. 543
Parker, M. A. 449
Patene, H. 361
Patterson, D. F. 513
Pearse, A. J. 361
Pedersen, R. A. 401
Pendás, A. M. 79
Pérez, J. 79
Peterson, T. S. 469
Petit, E. 517
Pharr, G. T. 504
Philipp, D. P. 62
Pierce, P. C. 14
Pinto, F. M. 108
Pollock, D. D. 335
Ponce de León, F. A. 247
Price, H. J. 158

R

Race, T. 531
Ragab, R. A. 21
Rexroad, C. E. III 373
Riggs, P. K. 373
Robertson, H. M. 195
Robl, J. M. 247
Rodrigo, A. G. 179
Rogati, P. 325
Rowland, G. G. 466
Rowland, L. J. 423
Rupprecht, J. D. 249
Rush, S. L. 60
Russell, V. W. 72

S

Saberman, J. 549
Saeidi, G. 466
Saghai Maroof, M. A. 21
Sanda, S. 69
Sarr, A. 139
Savage, T. F. 238
Savides, L. 57
Sbordoni, V. 316
Schrick, J. J. 439
Schultz, R. J. 249
Selby, P. B. 439
Semiadi, G. 366
Severson, D. W. 187, 520
Sheldon, B. L. 495
Sherman-Broyles, S. L. 325
Shimamoto, Y. 124, 557
Shipe, E. R. 38
Short, R. V. 355, 384
Shukle, R. H. 72, 120
Siljak-Yakovlev, S. 139
Simon, C. J. 115
Skorupska, H. T. 129
Slinkard, A. E. 154
Smith, M. H. 14
Smyth, J. R. 247
Spencer, J. A. 408
Spencer, M. 499
Stabile, S. 499
Staub, J. E. 454
Stelly, D. M. 158
Stockinger, E. J. 537
Stormont, C. 499
Stothard, J. R. 222
Summers, K. 8
Sweeney, W. P. Jr. 489

T

Tamarin, R. H. 294
Tate, M. L. 361, 366
Thompson, M. A. 408
Thorne, M. H. 495
Thorsén, J. 144
Tilley, S. G. 305
Tjhio, D. 60
Tominaga, T. 459
Trapezov, O. V. 164
Tsujimoto, H. 408

V

Vaiman, D. 517
Vallejo, R. L. 504
Van Den Avyle, M. J. 14
Villar, A. J. 401
Vogelzang, R. 553
Vorsa, N. 423
Vrijenhoek, R. C. 285

W

Wai, T. 454
Waines, J. G. 537
Walters, S. A. 66
Watson, J. F. II 540
Weaver, R. F. 527

Wehner, T. C. 66, 253
Weigt, L. 8
Weller, S. C. 459
Westwood, J. H. 459
Whittam, T. S. 294
Wilkinson, H. H. 449
Williams, D. E. 156
Williams, E. J. 156
Williams, N. D. 229
Withler, R. E. 415
Womack, J. E. 373, 524

X

Xu, J. 482

Y

Yan, G. 187
Young, E. C. 235
Yu, H. 215

Z

Zakrzewska, E. I. 238
Zantoko, L. 120
Zeng, L. 427
Zsuffa, L. 144

Title Index

A

Allozyme Variation in Four Geographic Areas of *Cinnamomum kanehirae* 433–438

Analysis of Flowering Time in Ecotypes of *Arabidopsis thaliana* 69–72

Ancestral Inbreeding Only Minimally Affects Inbreeding Depression in Mammalian Populations 169–178

Applications of Single Locus Minisatellite DNA Probes to the Study of Atlantic Salmon (*Salmo salar* L.) Population Genetics 79–82

Assignment of *Est1* Locus to Soybean Linkage Group 4 557–559

B

Black Crystal: A Novel Color Mutant in the American Mink (*Mustela vison Schreber*) 164–166

C

Characterization and Breakdown of Self-Incompatibility in Field Bindweed (*Convolvulus arvensis* L.) 459–465

A Comparative Analysis of Mhc *DRB3* Polymorphism in the American Bison (*Bison bison*) 499–503

Comparative Gene Mapping in the Domestic Cat (*Felis catus*) 408–414

Comparative Mapping of Anchor Loci from HSA 19 to Cattle Chromosomes 7 and 18 524–527

Comparisons of Genetic Variability and Genome Structure Among Mosquito Strains Selected for Refractoriness to a Malaria Parasite 187–194

Complementation of Nodulation Genes of Various Mutants in Common Bean (*Phaseolus vulgaris* L.) 543–545

Construction of Chickpea Linkage Map and Its Comparison With Maps of Pea and Lentil 115–119

Cytology and Genetics of a Tissue Culture-Derived Soybean Genic Male-Sterile, Female-Sterile 129–138

Cytonuclear Introgressive Swamping and Species Turnover of Bass After an Introduction 14–20

D

Development and Initital Characterization of a *Bos taurus* × *B. gaurus* Interspecific Hybrid Backcross Panel 373–379

Development of a Chicken Z-Chromosome-Specific DNA Library 247–249

Differences in Pollen-Tube Growth Rate and Reproductive Isolation Between Louisiana Irises 545–549

E

Ecology and Genetics of Ephemeral Plant Populations: *Eichhornia paniculata* (Pontederiaceae) in Northeast Brazil 277–284

The Effects of Habitat Fragmentation on the Genetic Structure of Small Mammal Populations 294–304

The Effects of Population Bottlenecks on Multilocus DNA Variation in Robins 179–186

Estimation of 2*n* Megagametophyte Heterozygosity in a Diploid Blueberry (*Vaccinium darrowi* Camp) Clone Using RAPDs 423–426

Evidence of Outcrossing in *Trillium erectum* and *Trillium grandiflorum* (Liliaceae) 325–329

The Extent of Natural Cross-Pollination in Wild Soybean (*Glycine soja*) 124–128

F

Fertile Hybrids in Two Genera of Wallabies: *Petrogale* and *Thylogale* 393–397

G

Gene Flow and Genetic Diversity in Naturally Fragmented Metapopulations of Deep-Sea Hydrothermal Vent Animals 285–293

Gene Isolation and Mapping Protocols (book review) 562

Generation Means Analysis of the Twin-Ear Trait in Maize 469–474

Genes for Developmental Fruit Coloration of Acorn Squash 52–56

The Genetical Analysis of Quantitative Traits (book review) 561–562

Genetic Analysis of Fluctuating Asymmetry for Skeletal Characters in Mice 85–92

Genetic Analysis of Père David's × Red Deer Interspecies Hybrids 361–365

Genetic Analysis of Triploidy in a Selected Line of Chickens 495–498

Genetic Basis of Dinitroaniline Herbicide Resistance in a Highly Resistant Biotype of Goosegrass (*Eleusine indica*) 427–432

Genetic Differentiation Within the European Sea Bass (*D. labrax*) as Revealed by RAPD-PCR Assays 316–324

Genetic Linkage Map of a *Brassica rapa* Recombinant Inbred Population 553–557

Genetic Marker Transmission in Early Generation Common × Tepary Bean Hybrids 537–540

The Genetics of Self-Incompatibility in the Genus *Schlumbergera* (Cactaceae) 209–214

Genetics of Virulence in the Hessian Fly to Resistance of Gene *H13* in Wheat 120–123

Genetic Structure of Natural Populations of *Agaricus bisporus*, the Commercial Button Mushroom 482–488

Genetic Variation of Southern Hemisphere Fur Seals (*Arctocephalus* spp.): Investigation of Population Structure and Species Identity 202–208

Genome Size of Bisexual and Unisexual *Poeciliopsis* 249–252

Genome Size Variation and Basic Chromosome Number in Pearl Millet and Fourteen Related *Pennisetum* Species 139–143

H

Hairy-sheath-frayed 1–0 is a Non-Cell-Autonomous Mutation That Regulates

Developmental Stage Transitions in Maize 549–553
Hybridization Between Tammar Wallaby (*Macropus eugenii*) Populations From Western and South Australia 398–400

I

Identification of RFLP Markers Linked to the Unifoliate Leaf, Cauliflower Head Mutation of Alfalfa 150–152
Identification of *Rfp-Y* (*Mhc*-like) Haplotypes in Chickens of Cornell Lines N and P 504–512
Inheritance and Linkage of Isozyme Loci in the Basket Willow (*Salix viminalis* L.) 144–150
Inheritance and Linkage Relationships of Nine Isozyme Loci in Wild Radish 60–62
Inheritance of a Gene Conditioning Blotchy Root Color in Table Beet (*Beta vulgaris* L.) 540–543
Inheritance of a White Flower Mutant in Kenaf 559–560
Inheritance of Black-Pod Color in Peanut 156–158
Inheritance of Body Coloration in the Lyretail Toothcarp (*Aphyosemion australe* Cyprinodontidae) 445–446
Inheritance of Pale Flower, Calyx Spotting, and Glandular Pubescence in *Mimulus guttatus* × *M. platycalyx* Progenies 42–46
Inheritance of Shriveled Seed Trait in Peanut 47–51
The Inheritance of Variegated Seed Color and Palmitic Acid in Flax 466–468
Inhibited Feathering: A New Dominant Sex-Linked Gene in the Turkey 238–247
In Situ Hybridization of Ribosomal DNA to Rose Chromosomes 158–161
Interspecies Approaches for the Analysis of Parental Imprinting During Mouse Development 401–407
Interspecies Hybrids: Some Thoughts 353–354
Interspecific and Extraspecific Pregnancies in Equids: Anything Goes 384–392
An Introduction to Mammalian Interspecific Hybrids 355

K

Karyotypic Analysis of C-Banded Chromosomes of Diploid Alfalfa: *Medicago sativa* ssp. *caerulea* and ssp. *falcata* and Their Hybrid 533–537

L

Launching Microsatellites: A Review of Mutation Processes and Methods of Phylogenetic Inference 335–342
Linkage Analysis of Potyvirus Resistance Alleles in Cucumber 454–458
Linkage Map for the Asian Tiger Mosquito [*Aedes (Stegomyia) albopictus*] Based on SSCP Analysis of RAPD Markers 489–494
A Linkage Map of the Diploid Strawberry, *Fragaria vesca* 215–221
Localization of the U2 Linkage Group of Horses to ECA 3 Using Chromosome Painting 162–164
Location of the Self-Incompatability Locus in an RFLP and RAPD Map of *Brassica oleracea* 57–60
A Locus Controlling Nodulation Specificity in *Amphicarpaea bracteata* (Leguminosae) 449–453

M

Marker Systems for the Phenotypic Recognition of Maternally Derived Trisomics in Maize 27–30
The Microevolution of Mouse Salivary Androgen-Binding Protein (ABP) Paralleled Subspeciation of *Mus musculus* 93–97
Microsatellite Variation in an Introduced Mouflon Population 517–520
Minisatellite DNA Detects Sex, Parentage, and Adoption in the South Polar Skua 235–238
Mitochondrial DNA Variation Within and Between Two Species of Neotropical Anopheline Mosquitoes (Diptera: Culicidae) 98–107
Molecular and Cytological Analysis of a *Mariner* Transposon from Hessian Fly 72–76
Molecular Mapping, Chromosomal Assignment, and Genetic Diversity Analysis of Phytochrome Loci in Barley (*Hordeum vulgare*) 21–26
Molecular Mapping of Insecticide Resistance Genes in the Yellow Fever Mosquito (*Aedes aegypti*) 520–524
Morphological Marker Loci to Detect Selfing in Experimental *Mimulus guttatus* × *Mimulus platycalyx* Crosses 330–332
Multiple *Mariner* Transposons in Flatworms and Hydras Are Related to Those of Insects 195–201

N

Natural Outcrossing in Grasspea 154–156
New Conditions for Generation of Gynogenetic Half-Tetrad Embryos in the Zebrafish (*Danio rerio*) 76–79
Nonhomeotic Meristic Flower Mutants in *Phacelia dubia* 31–37

P

Patterns of Genetic Differentiation in Appalachian Desmognathine Salamanders 305–315
Phenotypic and Genetic Divergence in Three Species of Dart-Poison Frogs with Contrasting Parental Behavior 8–13
Phylogenetic Inference With RAPDs: Some Observations Involving Computer Simulation With Viral Genomes 222–228
Plant Genetic Diversity and the Struggle to Measure Selection 1–7
Pod Dehiscence of Soybean: Identification of Quantitative Trait Loci 152–154
A Population Genetic Analysis of *Ziziphus celata*, an Endangered Florida Shrub 531–533
Population Genetic Structure and Colonization Sequence of *Drosophila subobscura* in the Canaries and Madeira Atlantic Islands as Inferred by Autosomal, Sex-Linked and mtDNA Traits 108–114
Predominant Paternal Transmission of the Mitochondrial Genome in Cucumber 232–235
PROBMAX: A Computer Program for Assigning Unknown Parentage in Pedigree Analysis From Known Genotypic Pools of Parents and Progeny 333

R

The Relative Contributions of Seed and Pollen Movement to the Local Genetic Structure of *Silene alba* 257–263
Reproductive and Genetic Consequences of Forest Fragmentation: Two Case Studies of Neotropical Canopy Trees 264–276
RFLP Analysis of Chlorimuron Ethyl Sensitivity in Soybean 38–41

S

Sambar Deer (*Cervus unicolor*) × Red Deer (*C. elaphus*) Interspecies Hybrids 366–372
SASGENE: A SAS Computer Program for Genetic Analysis of Gene Segregation and Linkage 253–254
Sex Chromosome Evolution and Haldane's Rule 358–360
Sex Linkage of Minisatellite Bands in Bobcats (*Felis rufus*) 527–531
Sexual Selection: A Driver of Genetic Change in Hawaiian *Drosophila* 343–352
A Single Recessive Gene for Resistance to the Root-Knot Nematode (*Meloido-*

gyne javanica) in *Cucumis sativus* var. *hardwickii* 66–69
Sources for Misclassifying Genealogical Origins in Mixed Hybrid Populations 62–65
Structure of an Unusual Minisatellite Locus, *Ssa1*, in Pacific Salmonids 415–422

T

Telosomic Mapping of Four Genetic Markers in Durum Wheat 229–232
The Thick Tail Mutation Contains Anomalies of the Axial Skeleton 438–445
Transgenic Durum Wheat by Microprojectile Bombardment of Isolated Scutella 475–481

U

The Use of a Wild Pig × Domestic Pig Intercross to Map Phenotypic Trait Loci 380–383

X

X-Linked Ectodermal Dysplasia in the Dog 513–517